			H <del>}</del>
	Application No.	Applicant(s)	
Nation of Allowet 11th	10/684,258	REICHLER ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Edward Raymond	2857	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (The Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
1. X This communication is responsive to Amendment filed 5/23	<u>//05</u> .		
2. The allowed claim(s) is/are 19-36,40 and 42-60.			
3. $\boxtimes$ The drawings filed on <u>11 October 2003</u> are accepted by the	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No.  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	

Application/Control Number: 10/684,258 Page 2

Art Unit: 2857

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 19-36, 40, and 42-60 are allowed.

2. The following is an examiner's statement of reasons for allowance: MCSpadden teaches an electronic filter status sensor. The Examiner has considered Applicant's arguments with respect to the reference determining the maximum dispensing efficiency curve. The prior art of record does not teach or suggest determining the maximum dispensing efficiency curve from the plurality of volume and time paired measurements and determining the maximum efficiency the dispensing point by determining a slop of the maximum dispensing efficiency curve.

The prior art of record also does not teach determining a dead time of the dispensing point from the dispensing efficiency.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward Raymond whose telephone number is 571-272-2221. The examiner can normally be reached on Monday through alternating Friday between 8:00 AM and 5:30 PM.

Application/Control Number: 10/684,258 Page 3

Art Unit: 2857

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 571-272-2216. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-2221 for regular communications and 571-272-1562 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1782.

June 10, 2005 Edward Raymond Patent Examiner Art Unit 2857

SUPERVISORY PATENT EXAMINER TECH::OLOGY CENTER 2800